

**Shreeji**  
Best Tiles For Your World

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles

**F** **IMPRES**  
**feel** **SIVE**

[www.shreejicera.com](http://www.shreejicera.com)



**DOUBLE**  
**CHARGE**  **600x**  
**600mm**  
vitrified tiles

A B O U T U S

Your home is an essential part of you. It reflects your personality and taste and says something about who you are.

We at Shreeji Ceramic, leading market in tiling industry. A family-owned company with knowledge and inventiveness, tradition and customs, and a passion for creating “Best Tiles For Your World” since 1985.

For decades now, Shreeji Group has been developing and innovating new areas in tiling sector, providing clients with product that carry enormous characteristics.

Make in India, Make for the World means a lot to us. Our collections are proudly designed and developed at our facilities equipped with top-of-the-line lab, printing, and manufacturing technology. From our stunning large size vitrified tiles, to our exclusive anti-skid surface, Shreeji Group is dedicated to all our customers who want high-quality tile products.

WHO  
WE  
ARE





**VELVET**  
**SERIES**






**VELVET AQUA**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET CANDY**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET CREAMA**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET FLAMINGO**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET FLORA**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles








**VELVET LEMON**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET MOON**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET OLIVE**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET PISTA**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET RUBY**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles








**VELVET SUMMER**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles








**VELVET SLATE**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles








**VELVET ALMANDO**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET ASH**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET BASALT**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET BOURBON**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles








**VELVET BRONZE**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles








**VELVET LAVA**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles







**VELVET ROYAL**

**600** x  
**600** mm

**DOUBLE CHARGE**  
Vitrified Tiles





## CHARACTERISTIC

DIMENSION & SURFACE QUALITY	INTERNATIONAL SPECIFICATIONS ISO 13006/EN 176 GROUP & IS 15622 : 2006	OUR VALUE	METHOD OF TESTING
Deviation In Length & Width	± 0.6%	± 0.1%	ISO 10545 Pt2
Deviation In Thickness	± 5%	± 3.0%	ISO 10545 Pt2
Straightness of Sides	± 0.5%	± 0.1%	ISO 10545 Pt2
Rectangularity	±0.6%	± 0.2%	ISO 10545 Pt2
Surface Flatness	± 0.50%	± 0.2%	ISO 10545 Pt2
Glossiness	gloss meter	min 90% Reflection	ISO 10545 Pt2
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	0.5%	<0.05%	ISO 10545 Pt3
Moh's Hardnes	>6	8	EN 101
Flexural Strength (Mor)	>35N/m <sup>2</sup>	≥ 46 N/mm <sup>2</sup>	ISO 10545 Pt4
Surface Abrasion Resistance	<175/mm <sup>2</sup>	< 145 mm <sup>2</sup>	ISO 10545 Pt6
Skid Resistance	>0.4	> 0.4	ISO 10545 Pt17
Breaking Strenght	1113N	2800 N	ISO 10545 Pt14
Density (g/cc)	>2	> 2.4	DIN 51082
Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt12
Thermal Shock Resistance	No Damage	No Damage	ISO 10545 Pt9
Thermal Expansion	<9 x 10 <sup>(-6)</sup>	< 6 x10 <sup>(-6)</sup>	ISO 10545 Pt8
Moisture Expansion	Nil	Nil	ISO 10545 Pt10
CHEMICAL PROPERTIES			
Chemical Resistance	No Damage	No Damage	ISO 10545 Pt13
Colour Resistance	No Damage	No Damage	DIN 51094
Stain Resistance	Resistant	Resistant	ISO 10545 Pt14

## PACKING DETAILS

TITLE SIZE	600x600mm	800x800mm
Tiles Thickness	8.2 mm	9.3 mm
Tiles / Box	4	3
Sq.Mts / Box	1.44	1.92
Packaging	Corrugated Box	Corrugated Box
Boxes / Pallet	44	32
Sq. Mts. / Pallet	63.36	61.44
Pallet / Container	23	22
Boxes / Container	1012	704
Sq. Mts. / Container	1457.28	1351.63
Total Weight with Pallet	28 Ton	28 Ton

**We reserves the right to delet & amend either totally of partially, any of the colors, shape, sizes references and other technical specification contained on this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instruction to avoid complaint due to bad masonry.**





SHREEJI CERAMIC INDUSTRIES (Mfg & Marketing Office)  
8-A, National Highway, Lalpar, Morbi, Gujarat - ( 363 642 )

info@shreejicera.com  
www.shreejicera.com

Contact : +91 9099 07 6807